GOVERNMENT OF AHDHRA PRADESH

ABSTRACT

PUBLIC SERVICES–Water Resources Department–Vigilance and Enforcement – Allegations of irregularities in verification of work “Handri Neeva Sujala Sravanthi(HNSS) Phase-II-Construction of Sreenivasapuram Reservoir and canals in Kadapa District under EPC Turnkey system - Disciplinary proceedings initiated against Sri M. Dakshina Murthy, the then Deputy Executive Engineer, AVR HNSS Sub Division.No.1, Penukonda, Ananthapuram District-Finalization of disciplinary proceedings by imposing a minor penalty of withholding of One (1) Annual Grade Increment without cumulative effect - Orders- Issued..

WATER RESOURCES (Vig.II.(V&E)) DEPARTMENT

G.O.Rt.No.02 Dated: 03.01.2023

1	From the Director General (Vig.Enft.) & E.O. Prl. Secy. to Govt. Vigilance Report No.60(1386/V&E/E1/2012), dt. 31-05-2013.
2.	G.O.Rt.No.157, Water Resources (Vig.II (V&E) Department, dated:28.02.2018.
3.	Written Statement of Defence from Sri M. Dakshina Murthy, the then Deputy Executive Engineer, AVR HNSS Sub Division.No.1, Penukonda, Ananthapuram District, dated:31.05.2018.
4.	G.O.Rt.No.284, Water Resources (Vig.II(V&E-2)) Department, Dated:31.05.2019.
5.	From Sri J.Satyannarayana, I.P.S. (Retd), Commissioner of Inquiries, General Administration Department, and IA, D.O.Letter No.72/COI-JS/2019, dated: 02.03.2021.

>><<

O R D E R:

In the reference 1st read above, the General Administration (Vigilance & Enforcement) Department have furnished their Vigilance Report on the allegations of irregularities in verification of work “Handri Neeva Sujala Sravanthi(HNSS) Phase-II-Construction of Sreenivasapuram Reservoir and canals in Kadapa District under EPC Turnkey system.

2. In the reference 2nd read above, articles of charges were issued against Sri M. Dakshina Murthy, the then Deputy Executive Engineer, AVR HNSS Sub Division.No.1, Penukonda, Ananthapuram District for allegations of irregularities in verification of work “Handri Neeva Sujala Sravanthi(HNSS) Phase-II-Construction of Sreenivasapuram Reservoir and canals in Kadapa District under EPC Turnkey system and in the reference 3rd read above, the above said charged officer has submitted his written statement of defence and requested to exonerate from the charges and drop further action against him.

3. In the reference 4th read above, Sri J.Satyannarayana, I.P.S. (Retd), Commissioner of Inquiries, General Administration Department was appointed as Inquiring Authority to inquire into the charges framed against Sri M. Dakshina Murthy,

the then Deputy Executive Engineer along with other charged officers for allegations of irregularities in verification of work “Handri Neeva Sujala Sravanthi(HNSS) Phase- II-Construction of Sreenivasapuram Reservoir and canals in Kadapa District under EPC Turnkey system.

4. In the reference 5th read above, Sri J.Satyanarayana, I.P.S.(Retd), COI, GAD and the Inquiring Authority has submitted his inquiry report against Sri M. Dakshina Murthy, the then Deputy Executive Engineer along with other charged officers.

5. Government, after careful examination of the entire issue, hereby impose a penalty of withholding two annual grade increments without cumulative effect on Sri M. Dakshina Murthy, the then Deputy Executive Engineer under rule 9 of APCS (CC&A) Rules, 1991, for the allegations of irregularities in verification of work “Handri Neeva Sujala Sravanthi(HNSS) Phase-II-Construction of Sreenivasapuram Reservoir and canals in Kadapa District under EPC Turnkey system

6. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada is requested to take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri M. Dakshina Murthy, the then Deputy Executive Engineer, AVR HNSS Sub Division.No.1, Penukonda, Ananthapuram District **through** the Engineer-in-Chief (AW), Water Resource Department, Vijayawada.
The Engineer-in-Chief (AW), Water Resources Department, AP, Vijayawada.
Copy to:-
The Secretary, AP Vigilance Commission, AP Secretariat, Velagapudi, Amaravati.
The Director General and Ex-Officio Principal Secretary to Government, the General Administration (Vigilance & Enforcement) Department, 2nd Floor, Dr.NTR Administrative Block, P.N.Bus Station, Vijayawada-520002, Krishna District.
The Accountant General, Andhra Pradesh, Hyderabad.
The Water Resources (Ser.I) Department.
SF / SC.

// FORWARDED : BY ORDER //

SECTION OFFICER